



**Bartlesville Library Skylight Replacement
Bid # 2023-2024-013**

ADDENDUM NO. 2

12 FEB 2024

ISSUED TO ALL BID DOCUMENT HOLDERS OF RECORD:

Bidders are instructed to read and note the following described changes, corrections, clarifications, omissions, deletions, additions, approvals, and statements pertinent to the Contract Bid and Construction Documents. The original Contract Documents and Specifications remain in full force and effect, except as modified by the following, which shall take precedence over any contrary provisions in the prior documents.

This addendum forms a part of the Contract Documents and modifies the previously issued Drawings and Specification Sections.

I. Addendum Acknowledgement:

The Addendum Acknowledgement, included at the back of this Addendum, must be signed and returned with your bid proposal. Failure to return this form acknowledging receipt of the addendum shall be grounds to reject the bid proposal.

II. Specifications:

Bid Proposal Form, page BPF-3

Replace the original page BPF-3 with the revised page BPF-3 (attached). The revised page contains two added bid alternates.

(Sign attached Addendum Acknowledgement and turn in with Bid Proposal)

**Bartlesville Library Skylight Replacement
Bid No. 2023-2024-013**

ADDENDUM NO. 1

12 FEB 2024

ADDENDUM ACKNOWLEDGEMENT

The undersigned acknowledges receipt of Addendum No. 1, and the bid submitted is in accordance as set forth herein.

Name of Bidder

By:_____

Date:_____

BID PROPOSAL FORM
 Bartlesville Library Skylight Replacement
 Bid No. 2023-2024-013

BASE BID

| PAY ITEM | ESTIMATED QUANTITY | UNIT | DESCRIPTION OF PAY ITEM | UNIT PRICE | BID AMOUNT |
|---------------------------|--------------------|------|--------------------------------------|------------|------------|
| 1 | 1 | LS | Library Skylight Replacement Project | | |
| 2 | 1 | LS | Engineer's Allowance | \$5,000.00 | \$5,000.00 |
| TOTAL BASE BID | | | | | \$ |
| TOTAL BASE BID (IN WORDS) | | | | | |

BID ALTERNATES

| BID ALT # | QUANTITY | UNIT | DESCRIPTION OF PAY ITEM | UNIT PRICE | TOTAL AMOUNT |
|-----------|----------|------|---|------------|--------------|
| #1 | 1 | LS | *Additional Cost to use Thermally Broken Panels and Frames instead of Non-Thermally Broken Panels and Frames (*see notes below) | | |
| #2 | 1 | LS | Additional Cost for crew to work through one weekend (8 hours Saturday and 8 hours Sunday) | | |

* Additional specifications pertaining to Thermally-Broken Panels and Frames:

1. Additional Reports required:
 - a) Condensation Resistance Factor (AAMA 1503)
 - b) Thermally Broken Grid Panel System U-factor by NFRC certified laboratory
2. Grid Core:
 - a) Thermally Broken Composite I-beam grid core shall be of 6063-T6 or 6005-T5 alloy and temper with provisions for mechanical interlocking of muntin-mullion and perimeter. Width of I-beam shall be no less than 7/16".
 - b) I-beam Thermal break: Minimum 1", thermoset fiberglass composite. Poured and de-bridged thermal break is not acceptable.
3. 2-3/4" Thermally Broken Grid Panel System U-factor of 23 by NFRC certified laboratory.
4. Thermally broken, insulated panels: Minimum Condensation Resistance Factor of 80 by AAMA 1503 measured on the bond line.